


Uniclass	L384/L385	
CI/SIB	(32.54)	X
December 2003		



KABA®
HUFCOR
 Operable Partitions



Hufcor Glasswall Sales Specification



Hufcor Glasswall

Hufcor Glasswall

A new way to look at operable partitions

Glasswall is a fully glazed operable wall system that combines function and the classic beauty of glass with the flexibility of operable partitions. The aesthetics of elegant glass can be used to divide rooms and maintain an open, contemporary space.

Glasswall can adapt to angles which allow rooms to be divided regardless of size or shape. The visibility allows designers to separate specific areas like smoking and non-smoking areas in cafes, lounges and foyers.

Glasswall maximises room design flexibility to increase the potential use of any room. For example, division of auto dealership showrooms, bank lobbies, executive meeting rooms and hotel lobbies to ensure visual contact between customers and staff is maintained at all times.

Glasswall may also be installed in shopping centres, restaurants, office buildings and churches, to enhance the character of these environments.

Glasswall can be used to divide hospitality suites at sports venues, opening up the action or closing down for privacy whilst retaining a clear view of the game.

Glass surfaces may be etched or screen printed to create logos and other custom designs that will enhance any project design.

If it isn't clear by now, Glasswall will satisfy nearly every environment looking for an aesthetic solution to space division.



Access &
Division Of Space
Applications



Security
Applications



PERFORMANCE

TRACK & CARRIER SYSTEM

Hufcor performance-proven type 36 track and carrier system provides smooth, quiet operation and enables the glass panels to move easily and quietly through intersections and around corners. The panels may be stored at the end of the track or in a remote location.

HORIZONTAL BALL BEARING TWO-WHEELED CARRIERS

Each panel has two counter-rotating, steel ball bearing nylon-tyred carriers. This patented Hufcor design provides years of operating ease.

ADJUSTABLE TRACK SUSPENSION

Threaded rods enable the track to be set at the correct height allowing adjustment to suit the finished floor levels in relation to overhead support.

FASCIA/CEILING TRIM

The Hufcor anodised track system has combined ceiling trim. This unitised construction eliminates the need for additional track trim and allows for the use of fascia boards or ceiling tiles. Flush ceiling trim can be supplied as an option if required.

SAFETY AND SECURITY

FLOOR TRACK NOT REQUIRED

Hufcor Glasswall panels are fully supported by the overhead track. This eliminates the need for unsightly floor track which can collect debris and pose a safety hazard. The floor surface is uniform except for small holes for floor bolts and locks. Double action foot bolts on the leading edge of each panel ensures a wall that is stable and secure.

GLASS ATTACHED WITH RODS PENETRATING THROUGH THE GLASS

The toughened safety glass is secretly secured to the upper horizontal rail with internal steel rods through holes in the glass. This prevents the glass from slipping or dropping by clamping methods.





Technical Data

Glass	Toughened Safety Glass
Glass Thickness	12mm
Panel Height Max	3600mm
Individual Panel Width	600-1400mm
Panel Weight	30Kg/m ²
Track	Silver anodised aluminium
Upper/Lower Profiles	Silver anodised aluminium

Top and bottom profiles and track are normally supplied in SAA finish but may alternatively be polyester coated finish to RAL or BS colours.

WARRANTY

All Hufcor products are guaranteed for two years against defective materials and workmanship.



ACCESS

Hufcor Glasswall can incorporate single or double access door panels which match and look identical to basic panels. Access doors are provided with a ball catch. Floor locking is available as an option.



KABA®

HUFCOR

Operable Partitions



Kaba Hufcor Operable Partitions

Trent Lane, Castle Donington,
Derby DE74 2NP

Tel: +44 (0) 870 000 5250

Fax: +44 (0) 870 000 5251

Email: hufcor@kdt.kaba.com

web: www.kaba.co.uk

www.hufcor.com

As ours is a policy of progressive design, we reserve the right to amend and alter specifications without prior notice.

Your local Hufcor Distributor:

mk door systems
MOVEABLE PARTITION SPECIALISTS

M K Door Systems Ltd Unit 15 Whitwick Business Centre
Stenson Road Coalville Leicestershire LE67 4JP
Tel: 01530 276517 Fax: 01530 276518

E-mail: sales@mkdoorsystems.co.uk <http://www.mkdoorsystems.co.uk>